

Cord L-29

MODEL

SERIAL #

BODY STYLE

ENGINE #

JUDGE

CELL

EXTERIOR 120/180

	Auth	Cond
METALWORK	/ 30	/ 45
Sheet metal, panel fit & finish, hidden wood structure. Notify CJ if rebodied/non-orig components	/ 2	/ 10
Hood top/sides, hooks, hinges, hardware, pads	/ 4	/ 4
Radiator shell, horiz strip, shutters, differential cover		
Headlamp brackets, grommets, tie rod	/ 6	/ 3
Brake housings, optional louvres, shoe anchor pin nuts	/ 2	/ 4
Front fenders, mouldings, underside, braces, fasteners		
Side mount locking posts, Battery box, cover	/ 3	/ 4
Core body cowl & mouldings; cowl & side vents; Windshield frame & visor(closed cars)	/ 2	/ 4
Doors & hinges, Golf door & rumble seat lid (Cab)	/ 2	/ 4
Running boards, fasteners, pads, treads, trim, end caps	/ 2	/ 3
Rear fenders & mouldings, underside, fasteners		
Rear body, Gas tank cover, mouldings, filler escutcheon	/ 3	/ 4
Pads for headlamp brackets, door handles & rear light standards; Grommets on rad shell, horn, side mounts	/ 2	/ 3
Weltings on fenders; running boards; rear body	/ 2	/ 2

PAINT

	/ 20	/ 50
Exterior paint, L-29 colors/style, incl body, fenders, mouldings, windshield frame(closed), visor, opt pinstripes	/ 10	/ 20
Front Bumper mounting bar, support bracket, castellated nut in front; clamps, arcs & license plate bracket, safety folded tab plates or wired bolts	/ 5	/ 5
Rear Bumper mounting brackets; support arms & castellated end nuts, riveted license plate bracket w/bolted mtg plate, Rear step w/tread (Cab)	/ 5	/ 5
Uniformity (appears to be lacquer) & Uniform shine		/ 20

PLATING

	/ 30	/ 25
TWILITE Headlamps; side cowl lamps & brackets	/ 6	/ 4
Radiator shell, cap, Diff cover trim, bolts & Cord emblem	/ 3	/ 3
Front Bumper rails, ornamental clamps, acorns, end bolts w/castellated nuts	/ 3	/ 3

EXTERIOR TOTAL:

/ 120

/ 180

PLATING (cont)

	Auth	Cond
Windshield frame(Cabriolet & Phaeton)	/ 3	/ 2
Cowl moulding, side mount hw, running board lamps(4D)	/ 2	/ 3
Door handles, latches, guides, striker plates		
Pht/Cab hinges, Cab Rear deck latch & bumper plates	/ 6	/ 4
Rear Bumper rails, ornamental clamps, bolts, acorns, end bolts w/castellated nuts	/ 3	/ 3
Tail & stop/back up lamp, standards w/acorn nuts	/ 4	/ 3

CONVERTIBLE TOP BOOTS AND CURTAINS

	/ 20	/ 35
Proper Haartz Cloth(Mossy Green or BLK), Snaps (hidden)	/ 10	/ 15
Canvas/leather bindings w/long tips, vertical side trim binding	/ 3	/ 5
Visor, wiper arms	/ 2	/ 5
Rear curtain, window frame, fasteners, boot cover	/ 3	/ 5
Weatherstripping	/ 2	/ 5

OR

SEDAN ROOF

	/ 20	/ 35
Haartz Cloth(Mossy Green), seams, padding, fit	/ 10	/ 15
Drip channels, fabric beads(door & visor), tips, L-corners, nails, bottom windshield strip	/ 5	/ 10
Visor, wipers, windshield channel, weatherstrip, Retainer strip	/ 2	/ 3
Door window channel felts, weatherstripping	/ 3	/ 7

TRUNK RACK, WHEELS/TIRES, TOOLS, SIDE MOUNTS

	/ 15	/ 15
Trunk rack & fasteners	/ 4	/ 4
Wheels, spokes, name plates, knock-offs, retaining rings	/ 3	/ 2
Side mounts, dummy hub caps	/ 2	/ 3
6 Tires(BW/DbI WW); 90° stems w/Schrader tool caps	/ 3	/ 4
Side mount covers w/emblems, straps(2 or 3 w/mirrors)	/ 1	/ 1
Jack & handle(paint olive drab; 2 versions); tool kit	/ 2	/ 1

GLASS

	/ 5	/ 10
Windshield; doors; quarter windows(sedan)		
Rear window(closed) or Curtain glass (cab/pht)	/ 1	/ 4
TWILITE HEADLAMP lenses, marked	/ 2	/ 3
TWILITE lenses Side/Cowl(frosted); Tail Left(red); Right(Early Clear, later Red+Clear)	/ 2	/ 3

Cord L-29

MODEL

SERIAL #

BODY STYLE

ENGINE #

JUDGE

CELL

INTERIOR 170/130

INTERIOR TOTAL:

/ 170

/ 130

FIRE EXTINGUISHER

Auth

Cond

Yes / No

UPHOLSTERY

	Auth	Cond
	/ 40	/ 30
Leather(open cars) or English broadcloth(closed cars)	/ 10	/ 10
Seat cushion patterns; pleats; buttons; bindings; trim	/ 10	/ 5
Door panels & pleats(later cars); proper(or no) broadlace trim(closed cars)	/ 5	/ 5
Under-dash, left side pocket, right side pocket (open); right tools swing panel (closed); rear deck cubbys (cab)	/ 5	/ 5
Back of front seat; rear armrests(4d); dropdown center armrest(Brougham only); Rumble seat(Cab)	/ 10	/ 5

FLOORS AND COVERINGS

	Auth	Cond
	/ 20	/ 15
Serial, Body, Miller(opt) tags under carpet	/ 2	/ 2
Wilton carpet, installed properly w/sewn bindings	/ 10	/ 7
Firewall penetrations; Engine cover	/ 4	/ 2
Patterned steering column & pedal plate; heel pad; brake lever; muffler bypass control floor plates	/ 2	/ 2
Tool Pan cover, hinges, lock under rear carpet; or rumble seat floor on cabriolet	/ 2	/ 2

HEADLINER BOWS AND PADS

	Auth	Cond
	/ 20	/ 15
Top slats, rails, hinges, removable pillars (phaeton), thumbscrews(6), hold-down brackets, deck lid remote handle(Cab); rubber base retainers	/ 10	/ 10
Top deck(front); top, rear, & rear bent bows; rear bow finish plates, rear bent bow support irons	/ 5	/ 3
Top stay straps & loops(Pht); rear curtain dot fasteners	/ 5	/ 2

OR

SEDAN HEADLINER

	Auth	Cond
	/ 20	/ 15
Broadcloth headliner material w/top & side trim	/ 10	/ 5
Windshield regulator board, w/round bolts & washers	/ 5	/ 5
Rear window roller curtain & pull cord, side toggle grips	/ 5	/ 5

INSTRUMENT PANEL

	Auth	Cond
	/ 30	/ 25
Instrument board painted w/crinkle finish; control bezel w/smooth finish; plated screws & washers(NI)	/ 5	/ 5
German silver backing plates w/crinkle finish	/ 5	/ 5

INSTRUMENT PANEL (cont)

	Auth	Cond
	/ 2	/ 3
German silver glove compartment w/lock & Cord emblem	/ 2	/ 1
Map light & cigar lighter above glove box (NP early)	/ 2	/ 1
Ignition switch & CORD keys	/ 2	/ 1
Instruments & lights, dial faces, glass, backlighting	/ 4	/ 3
Controls, two panels of four for closed, two panels of three for open cars, correctly placed w/labels	/ 6	/ 5
Open cars: Wiper motors & escutcheons on instrument panel,w/question mark vacuum tubes(no rubber).		
Closed: Motors behind windshield regulator board	/ 4	/ 2

CONTROLS, WHEEL, PEDALS AND LEVERS

	Auth	Cond
	/ 20	/ 15
Steering wheel, Strg column, plated tube, clamp, collar	/ 5	/ 3
Headlight ring w/white line & horn button, headlight dimmer floor switch(late models)	/ 3	/ 3
Shifter rod & knob; under dash retainer, rollers	/ 3	/ 3
Pedals: Brake & Clutch w/rubber pads, Gas & Bijur	/ 4	/ 3
Emergency brake; muffler bypass lever		
Top & side cowl vent levers; front seat adjuster(closed)	/ 5	/ 3

ELECTRICAL SYSTEM

	Auth	Cond
	/ 20	/ 15
Dome & reading lamps, lamp switches, auto door light switch & step lamps(4D), Rumbleseat lamp (Cab)	/ 5	/ 3
Integrated coil & ignition switch under dash		
Current limit relay on top of engine cover	/ 5	/ 2
Under dash wiring organization, wrappings, stays, routed correctly through firewall, frame, pillars	/ 10	/ 10

HARDWARE

	Auth	Cond
	/ 20	/ 15
Door handles, lock switches, window cranks for doors & windshield, rear view mirror	/ 8	/ 6
Door & window garnish mouldings; glass surround(open cars)	/ 5	/ 3
Right rear armrest cigar lighter & ash receivers(L&R) (closed)	/ 2	/ 1
Scuff plates w/Black CORD logo	/ 2	/ 2
Robe rail, carpeted footrest (4D)	/ 3	/ 3

Cord L-29

MODEL

SERIAL #

BODY STYLE

ENGINE #

JUDGE

CELL

ENGINE AND CHASSIS 165/135

ENGINE AND FUEL SYSTEM

	Auth	Cond
	/ 35	/ 30
Correct Engine FD, then FF starting at Ser #2930151	/ 5	
Engine tag(below generator); Eng# crankcase stamp	/ 1	/ 1
Engine CORD green, diff & lower flywheel covers(BLK)	/ 3	/ 5
Plated acorn nuts on head, timing chain cover		
Plated cable standoffs (1-left, 2-right)	/ 3	/ 2
Oil filler tube/cap, dipstick w/handle(separate on early cars)	/ 2	/ 2
Cylinder side plate w/slotted round screws, copper washers	/ 2	/ 3
Engine temp sensor, line, firewall entry grommet	/ 1	/ 1
Accelerator rods (L&R), cross shaft, spring & return clip	/ 1	/ 2
Carb Schebler Model S updraft, banded choke/throttle wires	/ 4	/ 2
AC Delco Fuel Pump tall(early), short(later)	/ 3	/ 2
Intake manifold (w/riser after 3932); vacuum fitting & line	/ 3	/ 3
Valve tappet covers & hex bolts, ventilator tube	/ 2	/ 2
Oil filter can w/label; clamp bracket; fasteners	/ 2	/ 2
Oil pressure regulator, line to firewall grommet	/ 1	/ 1
Fuel, oil, vacuum lines	/ 2	/ 2

ENGINE COMPARTMENT

	/ 30	/ 25
Painted firewall, underhood, hinge trough, cowl vent tubes, Miller patent tag(late)	/ 2	/ 3
C-Radiator supports, hood support hooks w/tubes, riveted cowl lacing, speedometer cable & separate firewall grommet	/ 3	/ 3
Correct firewall layout; lines; tubes; cables; grommets	/ 5	/ 2
Firewall L/R toeboards; top insulator(Gray/WHT)	/ 2	/ 2
Bijur tank & pump, cap label; lines & fittings	/ 3	/ 2
Brake supply tank w/bracket, decal, brake lines	/ 2	/ 2
Gemmer steering box; tube; column; clamp	/ 3	/ 3
Brake & Clutch pedals; linkage; springs; fasteners(BLK)	/ 2	/ 2
Splash Pans(left missing on early cars), 3 types	/ 3	/ 3
Trans case 2/4-bolt after 2926500; breather tube; lubricant filling plug; Early/late Advisory label	/ 2	/ 3
Lower & upper shift rods; ball-joint & fitting; roller bracket; rollers, cotter pin (2/early cars); adjusting nut; Front & rear shift rods; firewall entry (no grommet)	/ 5	/ 3

CHASSIS

	/ 30	/ 25
Front Axle; Springs; cast cups; shackle cases/safety wire; drive shafts; U-joints; dust covers, Alemite fittings	/ 10	/ 8
Steering Linkage, Drag link, Tie rod	/ 4	/ 4

ENGINE & CHASSIS TOTAL:

/ 165

/ 135

Auth

Cond

CHASSIS (cont)

Brake drums & housings, master cylinder, stop light wire, brake lines, front & rear "T" connections, brackets, hoses	/ 4	/ 3
Houdaille Shocks	/ 2	/ 2
Handbrake components, rods, rear cross-shaft, linkages	/ 2	/ 2
Rear axle & plates; springs; shackles; fasteners; cylindrical rebound rubbers; Bijur fittings	/ 4	/ 3
Gas tank; tank guard; straps; fasteners, gauge & wiring	/ 4	/ 3

ELECTRICAL SYSTEM

	/ 30	/ 25
C-7 brass hat spark plugs	/ 2	/ 2
Spark plug & Coil wires oak or red w/black stripes; routing	/ 3	/ 2
Cable manifolds, supports, spark cable w/standoff	/ 2	/ 2
Distributor, cap, tag, adv plate, grease cup; condenser	/ 3	/ 2
Generator(early/late), relay cover, tag, coupling, wiring	/ 3	/ 3
Oil level gauge & wiring, rear terminal block; frame wiring	/ 3	/ 3
Steering col headlight switch; shroud term block & wrg	/ 3	/ 3
Horns; wiring; riveted bracket, grommets; acorn nuts	/ 3	/ 3
Backup switch, bracket cover w/hex bolts	/ 3	/ 1
Starter w/tag, lever, cap, spring, ctrl cable, wiring/loom	/ 2	/ 2
Battery mountings; clamps; cables NEG-Starter, POS-Frame Gnd	/ 3	/ 2

COOLING SYSTEM

	/ 20	/ 15
Fan 4/6 blades(unpolished); bearing; mount(EC); oiler	/ 2	/ 2
Fan belts(1 or 2; Red or BLK)	/ 2	/ 2
Fan shroud(BLK); riveted antisqueak lacing	/ 3	/ 2
Modine radiator; Pine Winterfront w/tag; drain cock	/ 2	/ 2
Thermostat housing & bolts(EC)	/ 2	/ 2
Radiator Hoses Upper/Lower radiator w/ext tubes; water pump-side plate	/ 3	/ 1
Hose Clamps; correct style(NI/CHR)	/ 3	/ 2
Water pump, Bijur/grease cup, coupling, clamps	/ 3	/ 2

EXHAUST SYSTEM

	/ 20	/ 15
Exhaust manifold (Early/late)	/ 7	/ 4
Manifold heater valve, outlet tube(large after FD3932); control cable on/2 standoffs	/ 4	/ 3
C-pipe w/sock insulation & 4 clamps	/ 2	/ 2
Muffler w/bypass assy & ctrl cable, outlet pipe, clamps	/ 4	/ 3
Tailpipe round(early)/rectangular(late) & fasteners	/ 3	/ 3

Cord L-29

MODEL _____
SERIAL # _____

BODY STYLE _____
ENGINE # _____

JUDGE _____
CELL _____

FACTORY ACCESSORIES

FACTORY ACCESSORIES(max 3 points)

BONUS POINTS - 1 point each - maximum of 3

Max

/ 3

FACTORY ACCESSORIES TOTAL:

/ 3

JUDGING REMARKS / FINDINGS:

As published in the Auburn Authorized Accessory Guide

Pilot Ray Automatic Driving Light	/ 1
Pilot Ray Duplex Lights	/ 1
Lorraine Driving Lights	/ 1
Phinney Walker Clock(Glove Box), opt monogrammed	/ 1
Combination PW Clock & Rear-view Mirror	/ 1
Metal Tire Covers	/ 1
Cord (Potter) Trunk w/optional two suitcases	/ 1
Safety Driving Lights(front fenders)	/ 1
Radiator Grille Chromed	/ 1
Fry Seat Covers(Closed Cars only)	/ 1
Disappearing Rumble or Rear Seat Windshield	/ 1
Onyx Gear Shift Knob	/ 1
Sun Visor(Closed Cars)	/ 1
DeLuxe Closed Car Wings	/ 1

Codes:

BC-Body Color	NAT-Natural Finish	CAD-Cadmium Plated
TC-Trim Color	CHR-Polished Chrome	BR-Brass, for fittings
CC-Chassis Color	NI-Polished Nickel	
BLK-Black	LTH-Leather	

MARQUE COORDINATOR REVIEW:

CHIEF JUDGE REVIEW:

BOD CERTIFIER OF JUDGING REVIEW: